



baiobitTM

Scientific Literature



IMPORTANT: Some articles may be cited more than once in the list because they fall into more than one category.

Summary

1. Walk	4 - 5
2. Time Up and Go	6
3. Balance	6
4. Trunk	7
5. Sports patient	7
6. Geriatric patient	7
7. Orthopedic patient	8
8. Neurologic Patient	8
9. Respiratory patient	9
10. Movement Sensor	9

1. Walk

- Zago, M., Sforza, C., Pacifici, I., Cimolin, V., Camerota, F., Celletti, C., ... & Galli, M. (2018). Gait evaluation using Inertial Measurement Units in subjects with Parkinson's disease. *Journal of Electromyography and Kinesiology*. Keywords: Validation, Gait, Parkinson, Neurological.
- Cimolin, V., Capodaglio, P., Cau, N., Galli, M., Santovito, C., Patrizi, A., ... & Sartorio, A. (2017). Computation of spatio-temporal parameters in level walking using a single inertial system in lean and obese adolescents. *Biomedical Engineering/Biomedizinische Technik*, 62(5), 505-511.
- Cimolin, V., Capodaglio, P., Cau, N., Galli, M., Santovito, C., Patrizi, A., ... & Sartorio, A. (2017). Computation of spatio-temporal parameters in level walking using a single inertial system in lean and obese adolescents. *Biomedical Engineering/Biomedizinische Technik*, 62(5), 505-511.
- CHINI, Giorgia, et al. Local stability of the trunk in patients with degenerative cerebellar ataxia during walking. *The Cerebellum*, 2017, 16.1: 26-33.
- Marzi, C. Caratterizzazione del cammino in soggetti sani e patologici mediante accelerometria (Doctoral dissertation).
- Pau, M., Leban, B., Collu, G., & Migliaccio, G. M. (2014). Effect of light and vigorous physical activity on balance and gait of older adults. *Archives of gerontology and geriatrics*, 59(3), 568-573.
- Park, G., & Woo, Y. (2015). Comparison between a center of mass and a foot pressure sensor system for measuring gait parameters in healthy adults. *Journal of physical therapy science*, 27(10), 3199-3202.
- Leonardi, L., Aceto, M. G., Marcotulli, C., Arcuria, G., Serrao, M., Pierelli, F., ... & Casali, C. (2017). A wearable proprioceptive stabilizer for rehabilitation of limb and gait ataxia in hereditary cerebellar ataxias: a pilot open-labeled study. *Neurological Sciences*, 38(3), 459-463.
- Pau, M., Mandaresu, S., Leban, B., & Nussbaum, M. A. (2015). Short-term effects of backpack carriage on plantar pressure and gait in schoolchildren. *Journal of Electromyography and Kinesiology*, 25(2), 406-412.
- Malchow, C., & Fiedler, G. (2016). Effect of observation on lower limb prosthesis gait biomechanics: preliminary results. *Prosthetics and orthotics international*, 40(6), 739-743.
- Moon, S. H., Boo, J. A., & Park, S. E. (2016). Effects of ankle plantar flexors stretching with closed kinetic chain on pelvic movements and gait speed in hemiplegia patients: a case study. *Journal of physical therapy science*, 28(1), 309-313.
- Awotidebe, T. O., Ativie, R. N., Oke, K. I., Akindele, M. O., Adedoyin, R. A., Olaogun, M. O., ... & Kolawole, B. A. (2016). Relationships among exercise capacity, dynamic balance and gait characteristics of Nigerian patients with type-2 diabetes: an indication for fall prevention. *Journal of exercise rehabilitation*, 12(6), 581.
- Lameira deMelo, G. E., Franco deMoura, R. C., Lopes, J. B. P., Junior, P. R. F., Lazzari, R. D., Junior, J. R. Z., ... & Okamoto, E. (2017). Effects of virtual reality on parkinsonian gait: blind controlled randomized clinical trial protocol. *Manual Therapy, Posturology & Rehabilitation Journal= Revista Manual Therapy*, 15.
- Hyung, E. J., Lee, H. O., & Kwon, Y. J. (2016). Influence of load and carrying method on gait, specifically pelvic movement. *Journal of physical therapy science*, 28(7), 2059-2062.
- Park, S. E., & Moon, S. H. (2016). Effects of trunk stability exercise using proprioceptive neuromuscular facilitation with changes in chair height on the gait of patients who had a stroke. *Journal of physical therapy science*, 28(7), 2014-2018.

- Bennett, M., Hutchins, T., & Platz, K. (2017). The Impact of Walker Style on Gait Characteristics in Non-assistive Device Dependent older Adults.
- Cho, Y. K., Ahn, J. S., Park, Y. W., Do, J. W., Lee, N. H., & Kwon, O. Y. (2014). The Effects of Dynamic Functional Electrical Stimulation With Treadmill Gait Training on Functional Ability, Balance Confidence and Gait in Chronic Stroke Patients. *Physical Therapy Korea*, 21(4), 23-33.
- Lee, S. Y., Kim, B. R., Kim, S. R., Han, E. Y., Nam, K. W., & Park, Y. G. (2017). Influence of Preoperative Physical Function on Gait 1 Month After Total Knee Arthroplasty. *Annals of Geriatric Medicine and Research*, 21(4), 188-196.
- Kim, J. C., & Lim, J. H. (2018). The effects of coordinative locomotor training on coordination and gait in chronic stroke patients: a randomized controlled pilot trial. *Journal of Exercise Rehabilitation*, 14(6), 1010-1016.
- De Melo, G. E. L., Kleiner, A. F. R., Lopes, J. B. P., Dumont, A. J. L., Lazzari, R. D., Galli, M., & Oliveira, C. S. (2018). Effect of virtual reality training on walking distance and physical fitness in individuals with Parkinson's disease. *NeuroRehabilitation*, (Preprint), 1-8.
- De Melo, G. E. L., Kleiner, A. F. R., Lopes, J. B. P., Dumont, A. J. L., Lazzari, R. D., Galli, M., & Oliveira, C. S. (2018). Effect of virtual reality training on walking distance and physical fitness in individuals with Parkinson's disease. *NeuroRehabilitation*, (Preprint), 1-8.
- A.S.Rosa, E. Di Rauso, P.De Blasis, F.Gimigliano (2014) How gait parameters of the adolescents differ from the adult population. Cohort study using an accelerometer, *Annals of Physical and Rehabilitation Medicine*, 57 (1), 170.
- Viscione, I., D'Elia, F., Vastola, R., & Sibilio, M. (2016). The Correlation Between Technologies and Rating Scales in Gait Analysis. *Journal of Sports Science*, 4, 119-123.
- Marshall, T., Lacamera, J., Apicella, L., & Herron, S. (2018). Home-Based Exercise Program To Reduce Co-Constrictions and Improve Gait In A Patient With CIPN. *Archives of Physical Medicine and Rehabilitation*, 99(12), e204.
- Dibilio, V., Nicoletti, A., Mostile, G., Toscano, S., Luca, A., Raciti, L., ... & Zappia, M. (2017). Dopaminergic and non-dopaminergic gait components assessed by instrumented timed up and go test in Parkinson's disease. *Journal of Neural Transmission*, 124(12), 1539-1546.
- Blanc, Y., Balmer, C., Landis, T., & Vingerhoets, F. (1999). Parâmetros e padrões temporais do pé rolam durante a caminhada: dados normativos para adultos saudáveis. *Marcha e postura*, 10(2), 97-108.
- Macellari, V., Giacomozzi, C., & Saggin, R. (1999). Spatial-temporal parameters of gait: reference data and a statistical method for normality assessment. *Gait & posture*, 10(2), 171-181.
- Öberg, T., Karsznia, A., & Öberg, K. (1993). Basic gait parameters: reference data for normal subjects, 10-79 years of age. *Journal of rehabilitation research and development*, 30, 210-210.

2. Time Up and Go

- Dibilio, V., Toscano, S., Mostile, G., Luca, A., Raciti, L., Contrafatto, D., ... & Portaro, G. (2015). Levodopa acute effect on kinematic parameters during Timed "Up and Go" tested by a portable inertial sensor. *Age*, 66, 8-48.
- Lee, S. Y., Kim, B. R., Kim, S. R., Han, E. Y., Nam, K. W., & Park, Y. G. (2017). Influence of Preoperative Physical Function on Gait 1 Month After Total Knee Arthroplasty. *Annals of Geriatric Medicine and Research*, 21(4), 188-196.
- Kleiner, A. F. R., Pacifici, I., Vagnini, A., Camerota, F., Celletti, C., Stocchi, F., ... & Galli, M. (2018). Timed Up and Go evaluation with wearable devices: Validation in Parkinson's disease. *Journal of bodywork and movement therapies*, 22(2), 390-395.
- Negrini, S., Serpelloni, M., Amici, C., Gobbo, M., Silvestro, C., Buraschi, R., ... & Lopomo, N. F. (2016, November). Use of Wearable Inertial Sensor in the Assessment of Timed-Up-and-Go Test: Influence of Device Placement on Temporal Variable Estimation. In *International Conference on Wireless Mobile Communication and Healthcare* (pp. 310-317). Springer, Cham.
- Dibilio, V., Nicoletti, A., Mostile, G., Toscano, S., Luca, A., Raciti, L., ... & Zappia, M. (2017). Dopaminergic and non-dopaminergic gait components assessed by instrumented timed up and go test in Parkinson's disease. *Journal of Neural Transmission*, 124(12), 1539-1546.

3. Balance

- Pau, M., Leban, B., Collu, G., & Migliaccio, G. M. (2014). Effect of light and vigorous physical activity on balance and gait of older adults. *Archives of gerontology and geriatrics*, 59(3), 568-573.
- Alois, R., Beratto, L., Ponzano, M., Federico, A. D., & Gollin, M. (2017). Body Balance and Core Training in Parkinson's Disease: A Longitudinal Crossover Study. *Advances in Parkinson's Disease*, 124-130.
- Awotidebe, T. O., Ativie, R. N., Oke, K. I., Akindele, M. O., Adedoyin, R. A., Olaogun, M. O., ... & Kolawole, B. A. (2016). Relationships among exercise capacity, dynamic balance and gait characteristics of Nigerian patients with type-2 diabetes: an indication for fall prevention. *Journal of exercise rehabilitation*, 12(6), 581.
- Attanasio, G., Camerota, F., Ralli, M., Galeoto, G., La Torre, G., Galli, M., ... & Celletti, C. (2018). Does focal mechanical stimulation of the lower limb muscles improve postural control and sit to stand movement in elderly?. *Aging clinical and experimental research*, 1-6.
- Cho, Y. K., Ahn, J. S., Park, Y. W., Do, J. W., Lee, N. H., & Kwon, O. Y. (2014). The Effects of Dynamic Functional Electrical Stimulation With Treadmill Gait Training on Functional Ability, Balance Confidence and Gait in Chronic Stroke Patients. *Physical Therapy Korea*, 21(4), 23-33.
- Springer, B. A., Marin, R., Cyhan, T., Roberts, H., & Gill, N. W. (2007). Normative values for the unipedal stance test with eyes open and closed. *Journal of geriatric physical therapy*, 30(1), 8-15.
- Kapteyn, T. S., Bles, W., Nijokiktjen, C. J., Kodde, L., Massen, C. H., & Mol, J. M. (1983). Standardization in platform stabilometry being a part of posturography. *Agressologie: Revue Internationale de Physiologie et de Pharmacologie Appliquees aux Effets de L'agression*, 24(7), 321-326.
- Paillard, T., & Noé, F. (2015). Techniques and methods for testing the postural function in healthy and pathological subjects. *BioMed research international*, 2015.
- Paillard, T., & Noé, F. (2015). Techniques and methods for testing the postural function in healthy and pathological subjects. *BioMed research international*, 2015.
- Jancova, J. (2013). What is the role body sway deviation and body sway velocity play in postural stability in older adults?. *Acta medica (Hradec Kralove)/Universitas Carolina, Facultas Medica Hradec Kralove*, 56(3), 117-123.

4. Trunk

- Porta, Micaela, et al. Trunk flexion monitoring among warehouse workers using a single inertial sensor and the influence of different sampling durations. *International journal of environmental research and public health*, 2020, 17.19: 7117.
- Chini, Giorgia, et al. Local stability of the trunk in patients with degenerative cerebellar ataxia during walking. *The Cerebellum*, 2017, 16.1: 26-33.
- Chini, G., Ranavolo, A., Draicchio, F., Casali, C., Conte, C., Martino, G., ... & Serrao, M. (2017). Local stability of the trunk in patients with degenerative cerebellar ataxia during walking. *The Cerebellum*, 16(1), 26-33.
- Park, S. E., & Moon, S. H. (2016). Effects of trunk stability exercise using proprioceptive neuromuscular facilitation with changes in chair height on the gait of patients who had a stroke. *Journal of physical therapy science*, 28(7), 2014-2018.

5. Sports patient

- Gollin, M., Alessandria, M., Beratto, L., Federico, A. D., & Elena, M. F. M. (2015). Morpho functional asymmetries in fencing athletes. *Sport Sciences For Health*, 11(1), 28-28.
- Gollin, M., Abate Daga, F., Beratto, L., Fornea, S., Alessandria, M., & Plescia, A. (2014). Analysis in female footballplayer: an acute study. *sport sciences for health*, 10(1), 20-21.
- Gollin, M., Alessandria, M., Beratto, L., Abate Daga, F., & Martra, F. (2015). Ciclo del passo, forza e elongazione muscolare, controllo propriocettivo e postura in atleti schermatori. *SDS. Scuola dello Sport*, 104, 67-71.
- Praticò, L., Cavallaro, D. F., & Zanella, D. F. Studio sugli effetti a breve e medio termine dell'applicazione del K-Active Taping su un gruppo di giocatrici professioniste di basket.
- Sulowska, I., Mika, A., & Oleksy, Ł. The influence of plantar short foot muscle Exercises on foot posture and gait parameters in long-distance Runners. *foot*, 22, 25.

6. Geriatric patient

- Rodriguez-Larrad, A., Arrieta, H., Rezola, C., Kortajarena, M., Yanguas, J. J., Iturburu, M., ... & Irazusta, J. (2017). Effectiveness of a multicomponent exercise program in the attenuation of frailty in long-term nursing home residents: study protocol for a randomized clinical controlled trial. *BMC geriatrics*, 17(1), 60.
- Attanasio, G., Camerota, F., Ralli, M., Galeoto, G., La Torre, G., Galli, M., ... & Celletti, C. (2018). Does focal mechanical stimulation of the lower limb muscles improve postural control and sit to stand movement in elderly?. *Aging clinical and experimental research*, 1-6.
- Bennett, M., Hutchins, T., & Platz, K. (2017). The impact of walker style on gait characteristics in non-assistive device dependent older adults.

7. Orthopedic patient

- Suh, M. J., Kim, B. R., Kim, S. R., Han, E. Y., & Lee, S. Y. (2017). Effects of Early Combined Eccentric-Concentric Versus Concentric Resistance Training Following Total Knee Arthroplasty. *Annals of rehabilitation medicine*, 41(5), 816-827.
- Lee, S. Y., Kim, B. R., Kim, S. R., Han, E. Y., Nam, K. W., & Park, Y. G. (2017). Influence of Preoperative Physical Function on Gait 1 Month After Total Knee Arthroplasty. *Annals of Geriatric Medicine and Research*, 21(4), 188-196.
- Fiedler, G., & Zhang, X. (2016). Quantifying accommodation to prosthesis interventions in persons with lower limb loss. *Gait & posture*, 50, 14-16.

8. Neurologic Patient

- Pagnussat, A. S., Kleiner, A. F., Rieder, C. R., Frantz, A., Ehlers, J., Pinto, C., ... & Galli, M. (2018). Plantar stimulation in parkinsonians: From biomarkers to mobility-randomized-controlled trial. *Restorative neurology and neuroscience*, 36(2), 195-205.
- Na, E., Hwang, H., & Woo, Y. (2016). Study of acceleration of center of mass during sit-to stand and stand-to-sit in patients with stroke. *Journal of physical therapy science*, 28(9), 2457- 2460.
- Cho, Y. K., Ahn, J. S., Park, Y. W., Do, J. W., Lee, N. H., & Kwon, O. Y. (2014). The Effects of Dynamic Functional Electrical Stimulation With Treadmill Gait Training on Functional Ability, Balance Confidence and Gait in Chronic Stroke Patients. *Physical Therapy Korea*, 21(4), 23-33.
- Lee, S. Y., Kim, B. R., Kim, S. R., Han, E. Y., Nam, K. W., & Park, Y. G. (2017). Influence of Preoperative Physical Function on Gait 1 Month After Total Knee Arthroplasty. *Annals of Geriatric Medicine and Research*, 21(4), 188-196.
- Wright, A., Stone, K., Lambrick, D., Fryer, S., Stoner, L., Tasker, E., ... & Hudson, V. (2018). A community-based, bionic leg rehabilitation program for patients with chronic stroke: clinical trial protocol. *Journal of Stroke and Cerebrovascular Diseases*, 27(2), 372-380.
- Kleiner, A. F. R., Pacifici, I., Vagnini, A., Camerota, F., Celletti, C., Stocchi, F., ... & Galli, M. (2018). Timed Up and Go evaluation with wearable devices: Validation in Parkinson's disease. *Journal of bodywork and movement therapies*, 22(2), 390-395.
- Lewis, F., & Horn, G. (2018). Identifying Treatment Priorities in TBI and CVA Rehabilitation: Application of Rasch Analysis. *Archives of Physical Medicine and Rehabilitation*, 99(12), e204.
- Kim, J. C., & Lim, J. H. (2018). The effects of coordinative locomotor training on coordination and gait in chronic stroke patients: a randomized controlled pilot trial. *Journal of Exercise Rehabilitation*, 14(6), 1010-1016.
- De Melo, G. E. L., Kleiner, A. F. R., Lopes, J. B. P., Dumont, A. J. L., Lazzari, R. D., Galli, M., & Oliveira, C. S. (2018). Effect of virtual reality training on walking distance and physical fitness in individuals with Parkinson's disease. *NeuroRehabilitation*, (Preprint), 1-8.
- Melo, G., Kleiner, A. F. R., Lopes, J., Zen, G. Z. D., Marson, N., Santos, T., ... & Oliveira, C. (2018). P100-Effects of virtual reality training on mobility in individuals with Parkinson's disease. *Gait & Posture*, 65, 394-395.
- Dibilio, V., Nicoletti, A., Mostile, G., Toscano, S., Luca, A., Raciti, L., ... & Zappia, M. (2017). Dopaminergic and non-dopaminergic gait components assessed by instrumented timed up and go test in Parkinson's disease. *Journal of Neural Transmission*, 124(12), 1539-1546.
- Hale, P. K. Comparison of custom posterior leaf spring and dynamic carbon composite afo in a subject with charcot-marie-tooth.

9. Respiratory Patient

Paccini, M., Di Francia, R., Golby, C. K., Elliott, M., Aliverti, A., Arvanitis, T. N., & Naidu, B. (2016, January). Using Data from Low-cost, Off-the-shelf Devices to Monitor Exercise Adherence in Respiratory Patients, During Their Pulmonary Rehabilitation Programme. In Conference e-Proceedings (p. 33).

10. Movement Sensor

- Zanotti G, Vagnini A, Temporiti F, Gatti R, Furone R, Accuracy of inertial sensor in the analysis of center of mass displacement, WCPT Poster, 2018.
- Kleiner, A. F. R., Pacifici, I., Vagnini, A., Camerota, F., Celletti, C., Stocchi, F., ... & Galli, M. (2018). Timed Up and Go evaluation with wearable devices: Validation in Parkinson's disease. *Journal of bodywork and movement therapies*, 22(2), 390-395.
- Viscione, I., D'Elia, F., Vastola, R., & Sibilio, M. (2016). The Correlation Between Technologies and Rating Scales in Gait Analysis. *Journal of Sports Science*, 4, 119-123.
- Federico, A., Doneddu, P. E., Coraci, D., De, P., Franco, I. P., Caliandro, P., & Padua, L. (2017). Highlights of the Issue 3, 2017. *Neurol Sci*, 38, 379-381.



baiobitTM
Scientific Literature